Author Index to Volume 173

Abdurasulov, A., see S. Odinaev 173 (1993) 57

Adamovich, I., S. Saupe, M.J. Grassi, O. Schulz, S. Macheret and J.W. Rich, Vibrationally stimulated ionization of carbon monoxide in optical pumping experiments 173 (1993) 491

Adkhamov, A.A., see S. Odinaev 173 (1993) 45

Adkhamov, A.A., see S. Odinaev 173 (1993) 57

Agostini, G., C. Corvaja, G. Giacometti and L. Pasimeni, Optical, zero-field ODMR and EPR studies of the triplet states from singlet fission in biphenyl-TCNQ and biphenyl-tetrafluoro-TCNQ charge-transfer crystals 173 (1993) 177

Ågren, H., see W.J. Griffiths 173 (1993) 109

Aizpiri, A.G., F. Monroy, A.G. Casielles, R.G. Rubio and F. Ortega, Effect of pressure on the coexistence curve of methanol + *n*-heptane in the near critical region 173 (1993) 457

Albrecht, A.C., see T. Joo 173 (1993) 17

Alekseyev, A.B., H.-P. Liebermann, I. Boustani, G. Hirsch and R.J. Buenker, Theoretical study of the energies and lifetimes of the low-lying states of bismuth fluoride 173 (1993) 333

Androsiuk, J., L. Kułak and K. Sienicki, Neural network solution of the Schrödinger equation for a two-dimensional harmonic oscillator 173 (1993) 377

Au, J.W., G. Cooper, G.R. Burton, T.N. Olney and C.E. Brion, The valence shell photoabsorption of the linear alkanes, C_nH_{2n+2} ($n=1$–8): absolute oscillator strengths (7–220 eV) 173 (1993) 209

Au, J.W., G. Cooper and C.E. Brion, The molecular and dissociative photoionization of ethane, propane, and *n*-butane: absolute oscillator strengths (10–80 eV) and breakdown pathways 173 (1993) 241

Bagchi, B. and A. Chandra, Molecular theory of underdamped dielectric relaxation: understanding collective effects in dipolar liquids 173 (1993) 133

Bakhshi, A.K., C.-M. Liegener and J. Ladik, Theoretical design of polymers from topological arguments: electronic properties of polyisophenanthrene 173 (1993) 65

Basilevsky, M.V., G.E. Chudinov, D.V. Napolov and L.M. Timofeeva, Application of the configuration interaction method for quantum-chemical calculations of solvation effects 173 (1993) 345

Belinskii, M., Spin coupling model for tetrameric iron clusters in ferredoxins. III. Double exchange in distorted cluster 173 (1993) 27

Berger, H., see G. Millot 173 (1993) 505

Bergmann, F., M. Handschuh and W. Lorenz, Photoadmittance of two-step charge transfer processes on semiconductor electrodes. Example of hydrogen evolution reaction 173 (1993) 407

Billing, G.D., Semiclassical model for energy transfer in polyatomic molecules. XIV. He– and Ar–glyoxal collisions 173 (1993) 167

Billing, G.D., see N. Marković 173 (1993) 385

Billing, G.D., see A. Gross 173 (1993) 393

Biskupič, S., see V. Klimo 173 (1993) 367

Bittererová, M., see V. Klimo 173 (1993) 367

Author Index to Volume 173

Abdurasulov, A., see S. Odinaev 173 (1993) 57

Adamovich, I., S. Saupe, M.J. Grassi, O. Schulz, S. Macheret and J.W. Rich, Vibrationally stimulated ionization of carbon monoxide in optical pumping experiments 173 (1993) 491

Adkhamov, A.A., see S. Odinaev 173 (1993) 45

Adkhamov, A.A., see S. Odinaev 173 (1993) 57

Agostini, G., C. Corvaja, G. Giacometti and L. Pasimeni, Optical, zero-field ODMR and EPR studies of the triplet states from singlet fission in biphenyl-TCNQ and biphenyl-tetrafluoro-TCNQ charge-transfer crystals 173 (1993) 177

Ågren, H., see W.J. Griffiths 173 (1993) 109

Aizpiri, A.G., F. Monroy, A.G. Casielles, R.G. Rubio and F. Ortega, Effect of pressure on the coexistence curve of methanol + *n*-heptane in the near critical region 173 (1993) 457

Albrecht, A.C., see T. Joo 173 (1993) 17

Alekseyev, A.B., H.-P. Liebermann, I. Boustani, G. Hirsch and R.J. Buenker, Theoretical study of the energies and lifetimes of the low-lying states of bismuth fluoride 173 (1993) 333

Androsiuk, J., L. Kułak and K. Sienicki, Neural network solution of the Schrödinger equation for a two-dimensional harmonic oscillator 173 (1993) 377

Au, J.W., G. Cooper, G.R. Burton, T.N. Olney and C.E. Brion, The valence shell photoabsorption of the linear alkanes, C_nH_{2n+2} ($n=1$–8): absolute oscillator strengths (7–220 eV) 173 (1993) 209

Au, J.W., G. Cooper and C.E. Brion, The molecular and dissociative photoionization of ethane, propane, and *n*-butane: absolute oscillator strengths (10–80 eV) and breakdown pathways 173 (1993) 241

Bagchi, B. and A. Chandra, Molecular theory of underdamped dielectric relaxation: understanding collective effects in dipolar liquids 173 (1993) 133

Bakhshi, A.K., C.-M. Liegener and J. Ladik, Theoretical design of polymers from topological arguments: electronic properties of polyisophenanthrene 173 (1993) 65

Basilevsky, M.V., G.E. Chudinov, D.V. Napolov and L.M. Timofeeva, Application of the configuration interaction method for quantum-chemical calculations of solvation effects 173 (1993) 345

Belinskii, M., Spin coupling model for tetrameric iron clusters in ferredoxins. III. Double exchange in distorted cluster 173 (1993) 27

Berger, H., see G. Millot 173 (1993) 505

Bergmann, F., M. Handschuh and W. Lorenz, Photoadmittance of two-step charge transfer processes on semiconductor electrodes. Example of hydrogen evolution reaction 173 (1993) 407

Billing, G.D., Semiclassical model for energy transfer in polyatomic molecules. XIV. He– and Ar–glyoxal collisions 173 (1993) 167

Billing, G.D., see N. Marković 173 (1993) 385

Billing, G.D., see A. Gross 173 (1993) 393

Biskupič, S., see V. Klimo 173 (1993) 367

Bittererová, M., see V. Klimo 173 (1993) 367

Boustani, I., see A.B. Alekseyev 173 (1993) 333
Boyle, C., see B.P. Hollebone 173 (1993) 193
Braun, P.A., A.O. Mitrushenkov and T.K. Rebane, Vibrational magnetism of highly symmetric molecules: the molecular ion H_3^+ 173 (1993) 71
Brion, C.E., see B.P. Hollebone 173 (1993) 193
Brion, C.E., see J.W. Au 173 (1993) 209
Brion, C.E., see J.W. Au 173 (1993) 241
Buenker, R.J., see A.B. Alekseyev 173 (1993) 333
Burton, G.R., see J.W. Au 173 (1993) 209

Cardy, H., E. Poquet, M. Chaillet and J. Ollivier, Ab initio CI study of hydrogen abstraction from hydrogen and methyl sulphide by ketone triplet excited state 173 (1993) 79
Casielles, A.G., see A.G. Aizpiri 173 (1993) 457
Chaillet, M., see H. Cardy 173 (1993) 79
Chandra, A., see B. Bagchi 173 (1993) 133
Chaux, R., see G. Millot 173 (1993) 505
Chudinov, G.E., see M.V. Basilevsky 173 (1993) 345
Cooper, G., see J.W. Au 173 (1993) 209
Cooper, G., see J.W. Au 173 (1993) 241
Correia, N., see W.J. Griffiths 173 (1993) 109
Corvaja, C., see G. Agostini 173 (1993) 177
Curtiss, L.A., see S.A. Zygmunt 173 (1993) 357

Daverkausen, J., see M.S. Gudipati 173 (1993) 143
Davidson, E.R., see B.P. Hollebone 173 (1993) 193
De Brito, A.N., see W.J. Griffiths 173 (1993) 109
Detzer, N., see R. Wortmann 173 (1993) 99
Du, P., F. Salama and G.H. Loew, Theoretical study of the electronic spectra of a polycyclic aromatic hydrocarbon, naphthalene, and its derivatives 173 (1993) 421

Effenberger, F., see F. Würthner 173 (1993) 305
Egorov, S.M., A.M. Pravilov and V.A. Skorokhodov, Recombination of perfluoroalkyl radicals with $I(5p^5\ ^2P_{1/2})$, $I(5p^5\ ^2P_{3/2})$ atoms accompanied by radiation 173 (1993) 467

Fehér, M., A. Rohrbacher and J.P. Maier, Infrared laser kinetic spectroscopy of the formation of CN (v=0–8) in a discharge 173 (1993) 187
Freeman, G.R. and N.H. March, Common features in slow electron scattering by methane and the heavier noble gases 173 (1993) 451
Frei, G., see A. Zilian 173 (1993) 513

Giacometti, G., see G. Agostini 173 (1993) 177
Glania, C., see R. Wortmann 173 (1993) 99
Grabner, G., see G. Köhler 173 (1993) 275
Grassi, M.J., see I. Adamovich 173 (1993) 491
Griffiths, W.J., S. Svensson, A.N. De Brito, N. Correia, C.J. Reid, M.L. Langford, F.M. Harris, C.M. Liegener and H. Ågren, Doubly ionized states of carbon tetrafluoride 173 (1993) 109
Gross, A. and G.D. Billing, Rate constants for ozone formation and for isotopic exchange reactions 173 (1993) 393

Güdel, H.U., see A. Zilian 173 (1993) 513
Gudipati, M.S., J. Daverkausen and G. Hohlneicher, Higher excited states of aromatic hydrocarbons: polarized VUV fluorescence–excitation spectra of anthracene and pyrene in argon matrices at 15 K using synchrotron radiation 173 (1993) 143
Guyon, P.M., see F. Merkt 173 (1993) 479

Handschuh, M., see F. Bergmann 173 (1993) 407
Harris, F.M., see W.J. Griffiths 173 (1993) 109
Hayes, M.A., see D.M.P. Holland 173 (1993) 315
Hepburn, J., see F. Merkt 173 (1993) 479
Hirsch, G., see A.B. Alekseyev 173 (1993) 333
Hochstrasser, R.M., see K. Wynne 173 (1993) 539
Hohlneicher, G., see M.S. Gudipati 173 (1993) 143
Holland, D.M.P., D.A. Shaw, S.M. McSweeney, M.A. MacDonald, A. Hopkirk and M.A. Hayes, A study of the absolute photoabsorption, photoionization and photodissociation cross sections and the photoionization quantum efficiency of oxygen from the ionization threshold to 490 Å 173 (1993) 315
Hollebone, B.P., C.E. Brion, E.R. Davidson and C. Boyle, Valence electron momentum distributions of the hydrogen halides. II. Comparison of EMS measurements and calculations using near Hartree–Fock limit and configuration interaction wavefunctions for hydrogen chloride 173 (1993) 193
Hopkirk, A., see D.M.P. Holland 173 (1993) 315

Iton, L.E., see S.A. Zygmunt 173 (1993) 357

Joo, T. and A.C. Albrecht, Vibrational frequencies and dephasing times in excited electronic states by femtosecond time-resolved four-wave mixing 173 (1993) 17
Jug, K. and M. Krack, Stability of medium size silicon clusters 173 (1993) 439

Klimo, V., M. Bittererová, S. Biskupič and J. Urban, Quasiclassical trajectory study of $H+O_2 \rightarrow OH+O$ at temperatures from 500 to 2000 K 173 (1993) 367
Köhler, G., G. Grabner and K. Rotkiewicz, Nonradiative deactivation and triplet states in donor–aryl–acceptor compounds (dialkylaminobenzonitriles) 173 (1993) 275
Krack, M., see K. Jug 173 (1993) 439
Krämer, P., see R. Wortmann 173 (1993) 99
Krämer, P., see F. Würthner 173 (1993) 305
Kułak, L., see J. Androsiuk 173 (1993) 377

Ladik, J., see A.K. Bakhshi 173 (1993) 65
Langford, M.L., see W.J. Griffiths 173 (1993) 109
Lebus, S., see R. Wortmann 173 (1993) 99
Lenzi, M., E. Molinari, G. Piciacchia and M.L. Terranova, Time dependence of the refractive index of SF_6 and SF_6–Ar mixtures during a TEA CO_2 laser pulse. A focusing effect preceding thermal lensing 173 (1993) 291
Liebermann, H.-P., see A.B. Alekseyev 173 (1993) 333
Liegener, C.-M., see A.K. Bakhshi 173 (1993) 65
Liegener, C.M., see W.J. Griffiths 173 (1993) 109

Linskens, A.F., see S. te Lintel Hekkert 173 (1993) 9
Loew, G.H., see P. Du 173 (1993) 421
Lorenz, W., see F. Bergmann 173 (1993) 407

MacDonald, M.A., see D.M.P. Holland 173 (1993) 315
Macheret, S., see I. Adamovich 173 (1993) 491
Maier, J.P., see M. Fehér 173 (1993) 187
Majenz, W., see W. Rettig 173 (1993) 525
March, N.H., see G.R. Freeman 173 (1993) 451
Marković, N. and G.D. Billing, Reactive scattering by wave packet propagation. A semi-classical calculation of cross sections 173 (1993) 385
McSweeney, S.M., see D.M.P. Holland 173 (1993) 315
Merkt, F., P.M. Guyon and J. Hepburn, High-resolution threshold photoelectron spectrum of molecular oxygen 173 (1993) 479
Millot, G., C. Roche, R. Saint-Loup, R. Chaux, H. Berger and J. Santos, Collisional narrowing and shifting in the Raman Q-branch of oxygen at high density 173 (1993) 505
Mitrushenkov, A.O., see P.A. Braun 173 (1993) 71
Molinari, E., see M. Lenzi 173 (1993) 291
Monroy, F., see A.G. Aizpiri 173 (1993) 457

Napolov, D.V., see M.V. Basilevsky 173 (1993) 345
Nyman, G., Dynamical and statistical behaviour of $O(^3P)+OH(^2\Pi)\rightarrow H(^2S)+O_2(^3\Sigma_g^-)$ 173 (1993) 159

Odinaev, S. and A.A. Adkhamov, The molecular theory of structural relaxation and transport phenomena in liquids. I. The generalized kinetic equation and visco-elastic properties of classical liquids 173 (1993) 45
Odinaev, S., A.A. Adkhamov and A. Abdurasulov, The molecular theory of structural relaxation and transport phenomena in liquids. II. Thermotransport dynamic process in classical liquids 173 (1993) 57
Ollivier, J., see H. Cardy 173 (1993) 79
Olney, T.N., see J.W. Au 173 (1993) 209
Ortega, F., see A.G. Aizpiri 173 (1993) 457

Pasimeni, L., see G. Agostini 173 (1993) 177
Piciacchia, G., see M. Lenzi 173 (1993) 291
Pierre, G., see S. te Lintel Hekkert 173 (1993) 9
Poquet, E., see H. Cardy 173 (1993) 79
Pravilov, A.M., see S.M. Egorov 173 (1993) 467

Rebane, T.K., see P.A. Braun 173 (1993) 71
Reid, C.J., see W.J. Griffiths 173 (1993) 109
Rettig, W., B. Strehmel and W. Majenz, The excited states of stilbene and stilbenoid donor–acceptor dye systems. A theoretical study 173 (1993) 525
Reuss, J., see S. te Lintel Hekkert 173 (1993) 9
Rich, J.W., see I. Adamovich 173 (1993) 491
Roche, C., see G. Millot 173 (1993) 505
Rohrbacher, A., see M. Fehér 173 (1993) 187

Roser, D. and M. Vala, Magnetic circular dichroism of matrix-isolated Mo atoms: spin–orbit coupling and Jahn–Teller activity 173 (1993) 267
Rotkiewicz, K., see G. Köhler 173 (1993) 275
Rubio, R.G., see A.G. Aizpiri 173 (1993) 457

Saint-Loup, R., see G. Millot 173 (1993) 505
Salam, A., A quantum electrodynamical theory of induced circularly polarised luminescence 173 (1993) 123
Salama, F., see P. Du 173 (1993) 421
Santos, J., see G. Millot 173 (1993) 505
Sartakov, B.G., see S. te Lintel Hekkert 173 (1993) 9
Saupe, S., see I. Adamovich 173 (1993) 491
Schulz, O., see I. Adamovich 173 (1993) 491
Shaw, D.A., see D.M.P. Holland 173 (1993) 315
Sienicki, K., see J. Androsiuk 173 (1993) 377
Skorokhodov, V.A., see S.M. Egorov 173 (1993) 467
Strehmel, B., see W. Rettig 173 (1993) 525
Svensson, S., see W.J. Griffiths 173 (1993) 109

Teitelbaum, H., Non-equilibrium kinetics of bimolecular reactions. IV. Experimental prediction of the breakdown of the kinetic mass–action law 173 (1993) 91
Te Lintel Hekkert, S., A.F. Linskens, B.G. Sartakov, G. Pierre and J. Reuss, Multiphoton multi laser excitation of SF_6 in a molecular beam 173 (1993) 9
Terranova, M.L., see M. Lenzi 173 (1993) 291
Timofeeva, L.M., see M.V. Basilevsky 173 (1993) 345

Urban, J., see V. Klimo 173 (1993) 367

Vala, M., see D. Roser 173 (1993) 267

Wortmann, R., P. Krämer, C. Glania, S. Lebus and N. Detzer, Deviations from Kleinman symmetry of the second-order polarizability tensor in molecules with low-lying perpendicular electronic bands 173 (1993) 99
Wortmann, R., see F. Würthner 173 (1993) 305
Wu, G., Semiclassical phase space evolution of three coupled anharmonic oscillators with SU(3) symmetry partially broken 173 (1993) 1
Würthner, F., F. Effenberger, R. Wortmann and P. Krämer, Second-order polarizability of donor–acceptor substituted oligothiophenes: substituent variation and conjugation length dependence 173 (1993) 305
Wynne, K. and R.M. Hochstrasser, Coherence effects in the anisotropy of optical experiments (Chem. Phys. 171 (1993) 179). Erratum 173 (1993) 539

Zilian, A., G. Frei and H.U. Güdel, High-resolution laser spectroscopy of cyclometalated Rh(III)–thienylpyridine complexes 173 (1993) 513
Zygmunt, S.A., L.A. Curtiss and L.E. Iton, A theoretical study of the oxygen K absorption edge in cluster models of sodalite 173 (1993) 357

Subject Index to Volume 173

Methods

Theoretical

Group theory and algebras
Semiclassical phase space evolution of three coupled anharmonic oscillators with SU(3) symmetry partially broken, G. Wu 173 (1993) 1

Quantized field theory
A quantum electrodynamical theory of induced circularly polarised luminescence, A. Salam 173 (1993) 123

Many body and quasiparticle approaches
Valence electron momentum distributions of the hydrogen halides. II. Comparison of EMS measurements and calculations using near Hartree–Fock limit and configuration interaction wavefunctions for hydrogen chloride, B.P. Hollebone, C.E. Brion, E.R. Davidson and C. Boyle 173 (1993) 193

Coupling schemes and perturbative treatments
Multiphoton multi laser excitation of SF_6 in a molecular beam, S. Te Lintel Hekkert, A.F. Linskens, B.G. Sartakov, G. Pierre and J. Reuss 173 (1993) 9
Vibrational frequencies and dephasing times in excited electronic states by femtosecond time-resolved four-wave mixing, T. Joo and A.C. Albrecht 173 (1993) 17
Spin coupling model for tetrameric iron clusters in ferredoxins. III. Double exchange in distorted cluster, M. Belinskii 173 (1993) 27

Relativistic quantum mechanics
Theoretical study of the energies and lifetimes of the low-lying states of bismuth fluoride, A.B. Alekseyev, H.-P. Liebermann, I. Boustani, G. Hirsch and R.J. Buenker 173 (1993) 333

Statistical mechanics of stationary states
The molecular theory of structural relaxation and transport phenomena in liquids. I. The generalized kinetic equation and visco-elastic properties of classical liquids, S. Odinaev and A.A. Adkhamov 173 (1993) 45
The molecular theory of structural relaxation and transport phenomena in liquids. II. Thermotransport dynamic process in classical liquids, S. Odinaev, A.A. Adkhamov and A. Abdurasulov 173 (1993) 57

Non-equilibrium thermodynamic and hydrodynamic theories

The molecular theory of structural relaxation and transport phenomena in liquids. I. The generalized kinetic equation and visco-elastic properties of classical liquids, S. Odinaev and A.A. Adkhamov 173 (1993) 45

The molecular theory of structural relaxation and transport phenomena in liquids. II. Thermotransport dynamic process in classical liquids, S. Odinaev, A.A. Adkhamov and A. Abdurasulov 173 (1993) 57

Molecular theory of underdamped dielectric relaxation: understanding collective effects in dipolar liquids, B. Bagchi and A. Chandra 173 (1993) 133

Application of the configuration interaction method for quantum-chemical calculations of solvation effects, M.V. Basilevsky, G.E. Chudinov, D.V. Napolov and L.M. Timofeeva 173 (1993) 345

Ab initio schemes for stationary properties

Theoretical design of polymers from topological arguments: electronic properties of polyisophenanthrene, A.K. Bakhshi, C.-M. Liegener and J. Ladik 173 (1993) 65

Vibrational magnetism of highly symmetric molecules: the molecular ion H_3^+, P.A. Braun, A.O. Mitrushenkov and T.K. Rebane 173 (1993) 71

Ab initio CI study of hydrogen abstraction from hydrogen and methyl sulphide by ketone triplet excited state, H. Cardy, E. Poquet, M. Chaillet and J. Ollivier 173 (1993) 79

Theoretical study of the energies and lifetimes of the low-lying states of bismuth fluoride, A.B. Alekseyev, H.-P. Liebermann, I. Boustani, G. Hirsch and R.J. Buenker 173 (1993) 333

A theoretical study of the oxygen K absorption edge in cluster models of sodalite, S.A. Zygmunt, L.A. Curtiss and L.E. Iton 173 (1993) 357

Quasiclassical trajectory study of $H+O_2 \rightarrow OH+O$ at temperatures from 500 to 2000 K, V. Klimo, M. Bittererová, S. Biskupič and J. Urban 173 (1993) 367

Computational and simulation methods

Semiclassical phase space evolution of three coupled anharmonic oscillators with SU(3) symmetry partially broken, G. Wu 173 (1993) 1

Non-equilibrium kinetics of bimolecular reactions. IV. Experimental prediction of the breakdown of the kinetic mass–action law, H. Teitelbaum 173 (1993) 91

Higher excited states of aromatic hydrocarbons: polarized VUV fluorescence–excitation spectra of anthracene and pyrene in argon matrices at 15 K using synchrotron radiation, M.S. Gudipati, J. Daverkausen and G. Hohlneicher 173 (1993) 143

Dynamical and statistical behaviour of $O(^3P)+OH(^2\Pi) \rightarrow H(^2S)+O_2(^3\Sigma_g^-)$, G: Nyman 173 (1993) 159

A theoretical study of the oxygen K absorption edge in cluster models of sodalite, S.A. Zygmunt, L.A. Curtiss and L.E. Iton 173 (1993) 357

Neural network solution of the Schrödinger equation for a two-dimensional harmonic oscillator, J. Androsiuk, L. Kułak and K. Sienicki 173 (1993) 377

Reactive scattering by wave packet propagation. A semiclassical calculation of cross sections, N. Marković and G.D. Billing 173 (1993) 385

Rate constants for ozone formation and for isotopic exchange reactions, A. Gross and G.D. Billing 173 (1993) 393

Photoadmittance of two-step charge transfer processes on semiconductor electrodes. Example of hydrogen evolution reaction, F. Bergmann, M. Handschuh and W. Lorenz 173 (1993) 407

Theoretical study of the electronic spectra of a polycyclic aromatic hydrocarbon, naphthalene, and its derivatives, P. Du, F. Salama and G.H. Loew 173 (1993) 421

Stability of medium size silicon clusters, K. Jug and M. Krack 173 (1993) 439

Molecular dynamics and scattering theory
Semiclassical model for energy transfer in polyatomic molecules. XIV. He- and Ar-glyoxal collisions, G.D. Billing 173 (1993) 167
Quasiclassical trajectory study of $H+O_2 \rightarrow OH+O$ at temperatures from 500 to 2000 K, V. Klimo, M. Bittererová, S. Biskupič and J. Urban 173 (1993) 367
Reactive scattering by wave packet propagation. A semiclassical calculation of cross sections, N. Marković and G.D. Billing 173 (1993) 385
Rate constants for ozone formation and for isotopic exchange reactions, A. Gross and G.D. Billing 173 (1993) 393
Common features in slow electron scattering by methane and the heavier noble gases, G.R. Freeman and N.H. March 173 (1993) 451

Experimental

Magnetic resonances
Optical, zero-field ODMR and EPR studies of the triplet states from singlet fission in biphenyl-TCNQ and biphenyl-tetrafluoro-TCNQ charge-transfer crystals, G. Agostini, C. Corvaja, G. Giacometti and L. Pasimeni 173 (1993) 177

Infrared spectroscopy
Infrared laser kinetic spectroscopy of the formation of CN ($v=0$–8) in a discharge, M. Fehér, A. Rohrbacher and J.P. Maier 173 (1993) 187

Raman spectroscopy
High-resolution laser spectroscopy of cyclometalated Rh(III)–thienylpyridine complexes, A. Zilian, G. Frei and H.U. Güdel 173 (1993) 513

Visible and UV spectroscopy
Deviations from Kleinman symmetry of the second-order polarizability tensor in molecules with low-lying perpendicular electronic bands, R. Wortmann, P. Krämer, C. Glania, S. Lebus and N. Detzer 173 (1993) 99
Higher excited states of aromatic hydrocarbons: polarized VUV fluorescence–excitation spectra of anthracene and pyrene in argon matrices at 15 K using synchrotron radiation, M.S. Gudipati, J. Daverkausen and G. Hohlneicher 173 (1993) 143
The valence shell photoabsorption of the linear alkanes, C_nH_{2n+2} ($n=1$–8): absolute oscillator strengths (7–220 eV), J.W. Au, G. Cooper, G.R. Burton, T.N. Olney and C.E. Brion 173 (1993) 209
The molecular and dissociative photoionization of ethane, propane, and *n*-butane: absolute oscillator strengths (10–80 eV) and breakdown pathways, J.W. Au, G. Cooper and C.E. Brion 173 (1993) 241
Magnetic circular dichroism of matrix-isolated Mo atoms: spin–orbit coupling and Jahn–Teller activity, D. Roser and M. Vala 173 (1993) 267
High-resolution laser spectroscopy of cyclometalated Rh(III)–thienylpyridine complexes, A. Zilian, G. Frei and H.U. Güdel 173 (1993) 513

Fluorescence spectroscopy

Nonradiative deactivation and triplet states in donor–aryl–acceptor compounds (dialkylaminobenzonitriles), G. Köhler, G. Grabner and K. Rotkiewicz 173 (1993) 275

Recombination of perfluoroalkyl radicals with $I(5p^5\ ^2P_{1/2})$, $I(5p^5\ ^2P_{3/2})$ atoms accompanied by radiation, S.M. Egorov, A.M. Pravilov and V.A. Skorokhodov 173 (1993) 467

Photoelectron and Auger spectroscopy

Doubly ionized states of carbon tetrafluoride, W.J. Griffiths, S. Svensson, A.N. De Brito, N. Correia, C.J. Reid, M.L. Langford, F.M. Harris, C.M. Liegener and H. Ågren 173 (1993) 109

High-resolution threshold photoelectron spectrum of molecular oxygen, F. Merkt, P.M. Guyon and J. Hepburn 173 (1993) 479

Electron impact spectroscopy

Valence electron momentum distributions of the hydrogen halides. II. Comparison of EMS measurements and calculations using near Hartree–Fock limit and configuration interaction wavefunctions for hydrogen chloride, B.P. Hollebone, C.E. Brion, E.R. Davidson and C. Boyle 173 (1993) 193

The valence shell photoabsorption of the linear alkanes, C_nH_{2n+2} ($n=1$–8): absolute oscillator strengths (7–220 eV), J.W. Au, G. Cooper, G.R. Burton, T.N. Olney and C.E. Brion 173 (1993) 209

Laser methods

Multiphoton multi laser excitation of SF_6 in a molecular beam, S. Te Lintel Hekkert, A.F. Linskens, B.G. Sartakov, G. Pierre and J. Reuss 173 (1993) 9

Nonradiative deactivation and triplet states in donor–aryl–acceptor compounds (dialkylaminobenzonitriles), G. Köhler, G. Grabner and K. Rotkiewicz 173 (1993) 275

Time dependence of the refractive index of SF_6 and SF_6–Ar mixtures during a TEA CO_2 laser pulse. A focusing effect preceding thermal lensing, M. Lenzi, E. Molinari, G. Piciacchia and M.L. Terranova 173 (1993) 291

Recombination of perfluoroalkyl radicals with $I(5p^5\ ^2P_{1/2})$, $I(5p^5\ ^2P_{3/2})$ atoms accompanied by radiation, S.M. Egorov, A.M. Pravilov and V.A. Skorokhodov 173 (1993) 467

Vibrationally stimulated ionization of carbon monoxide in optical pumping experiments, I. Adamovich, S. Saupe, M.J. Grassi, O. Schulz, S. Macheret and J.W. Rich 173 (1993) 491

Non-linear optical spectroscopy

Second-order polarizability of donor–acceptor substituted oligothiophenes: substituent variation and conjugation length dependence, F. Würthner, F. Effenberger, R. Wortmann and P. Krämer 173 (1993) 305

Collisional narrowing and shifting in the Raman Q-branch of oxygen at high density, G. Millot, C. Roche, R. Saint-Loup, R. Chaux, H. Berger and J. Santos 173 (1993) 505

Synchrotron spectroscopies

Higher excited states of aromatic hydrocarbons: polarized VUV fluorescence–excitation spectra of anthracene and pyrene in argon matrices at 15 K using synchrotron radiation, M.S. Gudipati, J. Daverkausen and G. Hohlneicher 173 (1993) 143

A study of the absolute photoabsorption, photoionization and photodissociation cross sections and the photoionization quantum efficiency of oxygen from the ionization threshold to 490 Å, D.M.P. Holland, D.A. Shaw, S.M. McSweeney, M.A. MacDonald, A. Hopkirk and M.A. Hayes 173 (1993) 315

Time-resolved experiments
Vibrational frequencies and dephasing times in excited electronic states by femtosecond time-resolved four-wave mixing, T. Joo and A.C. Albrecht 173 (1993) 17
Time dependence of the refractive index of SF_6 and SF_6–Ar mixtures during a TEA CO_2 laser pulse. A focusing effect preceding thermal lensing, M. Lenzi, E. Molinari, G. Piciacchia and M.L. Terranova 173 (1993) 291
Common features in slow electron scattering by methane and the heavier noble gases, G.R. Freeman and N.H. March 173 (1993) 451
High-resolution threshold photoelectron spectrum of molecular oxygen, F. Merkt, P.M. Guyon and J. Hepburn 173 (1993) 479

Mass spectrometry
Doubly ionized states of carbon tetrafluoride, W.J. Griffiths, S. Svensson, A.N. De Brito, N. Correia, C.J. Reid, M.L. Langford, F.M. Harris, C.M. Liegener and H. Ågren 173 (1993) 109
The molecular and dissociative photoionization of ethane, propane, and *n*-butane: absolute oscillator strengths (10–80 eV) and breakdown pathways, J.W. Au, G. Cooper and C.E. Brion 173 (1993) 241

Measurement of macroscopic variables
Deviations from Kleinman symmetry of the second-order polarizability tensor in molecules with low-lying perpendicular electronic bands, R. Wortmann, P. Krämer, C. Glania, S. Lebus and N. Detzer 173 (1993) 99
Effect of pressure on the coexistence curve of methanol + *n*-heptane in the near critical region, A.G. Aizpiri, F. Monroy, A.G. Casielles, R.G. Rubio and F. Ortega 173 (1993) 457

Objects

Bulk systems

Gases
Semiclassical model for energy transfer in polyatomic molecules. XIV. He– and Ar–glyoxal collisions, G.D. Billing 173 (1993) 167
Time dependence of the refractive index of SF_6 and SF_6–Ar mixtures during a TEA CO_2 laser pulse. A focusing effect preceding thermal lensing, M. Lenzi, E. Molinari, G. Piciacchia and M.L. Terranova 173 (1993) 291
Reactive scattering by wave packet propagation. A semiclassical calculation of cross sections, N. Marković and G.D. Billing 173 (1993) 385
Rate constants for ozone formation and for isotopic exchange reactions, A. Gross and G.D. Billing 173 (1993) 393
Common features in slow electron scattering by methane and the heavier noble gases, G.R. Freeman and N.H. March 173 (1993) 451
Recombination of perfluoroalkyl radicals with $I(5p^5\ ^2P_{1/2})$, $I(5p^5\ ^2P_{3/2})$ atoms accompanied by radiation, S.M. Egorov, A.M. Pravilov and V.A. Skorokhodov 173 (1993) 467
High-resolution threshold photoelectron spectrum of molecular oxygen, F. Merkt, P.M. Guyon and J. Hepburn 173 (1993) 479
Collisional narrowing and shifting in the Raman Q-branch of oxygen at high density, G. Millot, C. Roche, R. Saint-Loup, R. Chaux, H. Berger and J. Santos 173 (1993) 505

Supersonic beams
Multiphoton multi laser excitation of SF_6 in a molecular beam, S. Te Lintel Hekkert, A.F. Linskens, B.G. Sartakov, G. Pierre and J. Reuss 173 (1993) 9

Liquids neat
The molecular theory of structural relaxation and transport phenomena in liquids. I. The generalized kinetic equation and visco-elastic properties of classical liquids, S. Odinaev and A.A. Adkhamov 173 (1993) 45
The molecular theory of structural relaxation and transport phenomena in liquids. II. Thermotransport dynamic process in classical liquids, S. Odinaev, A.A. Adkhamov and A. Abdurasulov 173 (1993) 57

Liquids mixtures and solutions
Second-order polarizability of donor–acceptor substituted oligothiophenes: substituent variation and conjugation length dependence, F. Würthner, F. Effenberger, R. Wortmann and P. Krämer 173 (1993) 305
Application of the configuration interaction method for quantum-chemical calculations of solvation effects, M.V. Basilevsky, G.E. Chudinov, D.V. Napolov and L.M. Timofeeva 173 (1993) 345
Effect of pressure on the coexistence curve of methanol + *n*-heptane in the near critical region, A.G. Aizpiri, F. Monroy, A.G. Casielles, R.G. Rubio and F. Ortega 173 (1993) 457

Crystals
Optical, zero-field ODMR and EPR studies of the triplet states from singlet fission in biphenyl-TCNQ and biphenyl-tetrafluoro-TCNQ charge-transfer crystals, G. Agostini, C. Corvaja, G. Giacometti and L. Pasimeni 173 (1993) 177
A theoretical study of the oxygen K absorption edge in cluster models of sodalite, S.A. Zygmunt, L.A. Curtiss and L.E. Iton 173 (1993) 357

–neat
A theoretical study of the oxygen K absorption edge in cluster models of sodalite, S.A. Zygmunt, L.A. Curtiss and L.E. Iton 173 (1993) 357

–mixed
High-resolution laser spectroscopy of cyclometalated Rh(III)–thienylpyridine complexes, A. Zilian, G. Frei and H.U. Güdel 173 (1993) 513

Glasses
High-resolution laser spectroscopy of cyclometalated Rh(III)–thienylpyridine complexes, A. Zilian, G. Frei and H.U. Güdel 173 (1993) 513

Polymers
Theoretical design of polymers from topological arguments: electronic properties of polyisophenanthrene, A.K. Bakhshi, C.-M. Liegener and J. Ladik 173 (1993) 65

Semiconductors
Photoadmittance of two-step charge transfer processes on semiconductor electrodes. Example of hydrogen evolution reaction, F. Bergmann, M. Handschuh and W. Lorenz 173 (1993) 407

Surfaces
Photoadmittance of two-step charge transfer processes on semiconductor electrodes. Example of hydrogen evolution reaction, F. Bergmann, M. Handschuh and W. Lorenz 173 (1993) 407

Dielectrics
Molecular theory of underdamped dielectric relaxation: understanding collective effects in dipolar liquids, B. Bagchi and A. Chandra 173 (1993) 133

Plasmas
Infrared laser kinetic spectroscopy of the formation of CN (v=0–8) in a discharge, M. Fehér, A. Rohrbacher and J.P. Maier 173 (1993) 187
Vibrationally stimulated ionization of carbon monoxide in optical pumping experiments, I. Adamovich, S. Saupe, M.J. Grassi, O. Schulz, S. Macheret and J.W. Rich 173 (1993) 491

Microscopic systems

Atoms
Non-equilibrium kinetics of bimolecular reactions. IV. Experimental prediction of the breakdown of the kinetic mass–action law, H. Teitelbaum 173 (1993) 91
Magnetic circular dichroism of matrix-isolated Mo atoms: spin–orbit coupling and Jahn–Teller activity, D. Roser and M. Vala 173 (1993) 267

Molecules (neutral and ionic)
Infrared laser kinetic spectroscopy of the formation of CN (v=0–8) in a discharge, M. Fehér, A. Rohrbacher and J.P. Maier 173 (1993) 187
Second-order polarizability of donor–acceptor substituted oligothiophenes: substituent variation and conjugation length dependence, F. Würthner, F. Effenberger, R. Wortmann and P. Krämer 173 (1993) 305
Theoretical study of the energies and lifetimes of the low-lying states of bismuth fluoride, A.B. Alekseyev, H.-P. Liebermann, I. Boustani, G. Hirsch and R.J. Buenker 173 (1993) 333
Application of the configuration interaction method for quantum-chemical calculations of solvation effects, M.V. Basilevsky, G.E. Chudinov, D.V. Napolov and L.M. Timofeeva 173 (1993) 345
Reactive scattering by wave packet propagation. A semiclassical calculation of cross sections, N. Marković and G.D. Billing 173 (1993) 385
High-resolution threshold photoelectron spectrum of molecular oxygen, F. Merkt, P.M. Guyon and J. Hepburn 173 (1993) 479
The excited states of stilbene and stilbenoid donor–acceptor dye systems. A theoretical study, W. Rettig, B. Strehmel and W. Majenz 173 (1993) 525

–diatomic
Non-equilibrium kinetics of bimolecular reactions. IV. Experimental prediction of the breakdown of the kinetic mass–action law, H. Teitelbaum 173 (1993) 91
Valence electron momentum distributions of the hydrogen halides. II. Comparison of EMS measurements and calculations using near Hartree–Fock limit and configuration interaction wavefunctions for hydrogen chloride, B.P. Hollebone, C.E. Brion, E.R. Davidson and C. Boyle 173 (1993) 193

A study of the absolute photoabsorption, photoionization and photodissociation cross sections and the photoionization quantum efficiency of oxygen from the ionization threshold to 490 Å, D.M.P. Holland, D.A. Shaw, S.M. McSweeney, M.A. MacDonald, A. Hopkirk and M.A. Hayes 173 (1993) 315
Rate constants for ozone formation and for isotopic exchange reactions, A. Gross and G.D. Billing 173 (1993) 393
Vibrationally stimulated ionization of carbon monoxide in optical pumping experiments, I. Adamovich, S. Saupe, M.J. Grassi, O. Schulz, S. Macheret and J.W. Rich 173 (1993) 491
Collisional narrowing and shifting in the Raman Q-branch of oxygen at high density, G. Millot, C. Roche, R. Saint-Loup, R. Chaux, H. Berger and J. Santos 173 (1993) 505

–small polyatomics
Semiclassical phase space evolution of three coupled anharmonic oscillators with SU(3) symmetry partially broken, G. Wu 173 (1993) 1
Multiphoton multi laser excitation of SF_6 in a molecular beam, S. Te Lintel Hekkert, A.F. Linskens, B.G. Sartakov, G. Pierre and J. Reuss 173 (1993) 9
Vibrational magnetism of highly symmetric molecules: the molecular ion H_3^+, P.A. Braun, A.O. Mitrushenkov and T.K. Rebane 173 (1993) 71
Molecular theory of underdamped dielectric relaxation: understanding collective effects in dipolar liquids, B. Bagchi and A. Chandra 173 (1993) 133
Semiclassical model for energy transfer in polyatomic molecules. XIV. He– and Ar–glyoxal collisions, G.D. Billing 173 (1993) 167
The valence shell photoabsorption of the linear alkanes, C_nH_{2n+2} ($n=1$–8): absolute oscillator strengths (7–220 eV), J.W. Au, G. Cooper, G.R. Burton, T.N. Olney and C.E. Brion 173 (1993) 209
The molecular and dissociative photoionization of ethane, propane, and *n*-butane: absolute oscillator strengths (10–80 eV) and breakdown pathways, J.W. Au, G. Cooper and C.E. Brion 173 (1993) 241
Quasiclassical trajectory study of $H+O_2 \rightarrow OH+O$ at temperatures from 500 to 2000 K, V. Klimo, M. Bittererová, S. Biskupič and J. Urban 173 (1993) 367
Recombination of perfluoroalkyl radicals with $I(5p^5\ ^2P_{1/2})$, $I(5p^5\ ^2P_{3/2})$ atoms accompanied by radiation, S.M. Egorov, A.M. Pravilov and V.A. Skorokhodov 173 (1993) 467

–aromatics
Deviations from Kleinman symmetry of the second-order polarizability tensor in molecules with low-lying perpendicular electronic bands, R. Wortmann, P. Krämer, C. Glania, S. Lebus and N. Detzer 173 (1993) 99
Higher excited states of aromatic hydrocarbons: polarized VUV fluorescence–excitation spectra of anthracene and pyrene in argon matrices at 15 K using synchrotron radiation, M.S. Gudipati, J. Daverkausen and G. Hohlneicher 173 (1993) 143
Nonradiative deactivation and triplet states in donor–aryl–acceptor compounds (dialkylaminobenzonitriles), G. Köhler, G. Grabner and K. Rotkiewicz 173 (1993) 275
Theoretical study of the electronic spectra of a polycyclic aromatic hydrocarbon, naphthalene, and its derivatives, P. Du, F. Salama and G.H. Loew 173 (1993) 421

–other large
Vibrational frequencies and dephasing times in excited electronic states by femtosecond time-resolved four-wave mixing, T. Joo and A.C. Albrecht 173 (1993) 17

–polymeric and biological
Theoretical design of polymers from topological arguments: electronic properties of poly-isophenanthrene, A.K. Bakhshi, C.-M. Liegener and J. Ladik 173 (1993) 65

Molecular aggregates

–clusters
Spin coupling model for tetrameric iron clusters in ferredoxins. III. Double exchange in distorted cluster, M. Belinskii 173 (1993) 27
Stability of medium size silicon clusters, K. Jug and M. Krack 173 (1993) 439

Free radicals (including hydronium and muonium)
Dynamical and statistical behaviour of $O(^3P)+OH(^2\Pi)\rightarrow H(^2S)+O_2(^3\Sigma_g^-)$, G. Nyman 173 (1993) 159

Ions and charge carriers
Doubly ionized states of carbon tetrafluoride, W.J. Griffiths, S. Svensson, A.N. De Brito, N. Correia, C.J. Reid, M.L. Langford, F.M. Harris, C.M. Liegener and H. Ågren 173 (1993) 109

Phenomena

Molecular structure
Ab initio CI study of hydrogen abstraction from hydrogen and methyl sulphide by ketone triplet excited state, H. Cardy, E. Poquet, M. Chaillet and J. Ollivier 173 (1993) 79
Stability of medium size silicon clusters, K. Jug and M. Krack 173 (1993) 439

Vibrations and rotations of molecules
Multiphoton multi laser excitation of SF_6 in a molecular beam, S. Te Lintel Hekkert, A.F. Linskens, B.G. Sartakov, G. Pierre and J. Reuss 173 (1993) 9
Vibrationally stimulated ionization of carbon monoxide in optical pumping experiments, I. Adamovich, S. Saupe, M.J. Grassi, O. Schulz, S. Macheret and J.W. Rich 173 (1993) 491
High-resolution laser spectroscopy of cyclometalated Rh(III)–thienylpyridine complexes, A. Zilian, G. Frei and H.U. Güdel 173 (1993) 513

Electronic structure and states
Spin coupling model for tetrameric iron clusters in ferredoxins. III. Double exchange in distorted cluster, M. Belinskii 173 (1993) 27
Theoretical design of polymers from topological arguments: electronic properties of poly-isophenanthrene, A.K. Bakhshi, C.-M. Liegener and J. Ladik 173 (1993) 65
Ab initio CI study of hydrogen abstraction from hydrogen and methyl sulphide by ketone triplet excited state, H. Cardy, E. Poquet, M. Chaillet and J. Ollivier 173 (1993) 79
Doubly ionized states of carbon tetrafluoride, W.J. Griffiths, S. Svensson, A.N. De Brito, N. Correia, C.J. Reid, M.L. Langford, F.M. Harris, C.M. Liegener and H. Ågren 173 (1993) 109
Higher excited states of aromatic hydrocarbons: polarized VUV fluorescence–excitation spectra of anthracene and pyrene in argon matrices at 15 K using synchrotron radiation, M.S. Gudipati, J. Daverkausen and G. Hohlneicher 173 (1993) 143

Valence electron momentum distributions of the hydrogen halides. II. Comparison of EMS measurements and calculations using near Hartree–Fock limit and configuration interaction wavefunctions for hydrogen chloride, B.P. Hollebone, C.E. Brion, E.R. Davidson and C. Boyle 173 (1993) 193
The valence shell photoabsorption of the linear alkanes, C_nH_{2n+2} ($n=1$–8): absolute oscillator strengths (7–220 eV), J.W. Au, G. Cooper, G.R. Burton, T.N. Olney and C.E. Brion 173 (1993) 209
Magnetic circular dichroism of matrix-isolated Mo atoms: spin–orbit coupling and Jahn–Teller activity, D. Roser and M. Vala 173 (1993) 267
A study of the absolute photoabsorption, photoionization and photodissociation cross sections and the photoionization quantum efficiency of oxygen from the ionization threshold to 490 Å, D.M.P. Holland, D.A. Shaw, S.M. McSweeney, M.A. MacDonald, A. Hopkirk and M.A. Hayes 173 (1993) 315
Theoretical study of the electronic spectra of a polycyclic aromatic hydrocarbon, naphthalene, and its derivatives, P. Du, F. Salama and G.H. Loew 173 (1993) 421
High-resolution threshold photoelectron spectrum of molecular oxygen, F. Merkt, P.M. Guyon and J. Hepburn 173 (1993) 479
The excited states of stilbene and stilbenoid donor–acceptor dye systems. A theoretical study, W. Rettig, B. Strehmel and W. Majenz 173 (1993) 525

Electric and magnetic properties
Spin coupling model for tetrameric iron clusters in ferredoxins. III. Double exchange in distorted cluster, M. Belinskii 173 (1993) 27
Vibrational magnetism of highly symmetric molecules: the molecular ion H_3^+, P.A. Braun, A.O. Mitrushenkov and T.K. Rebane 173 (1993) 71
Deviations from Kleinman symmetry of the second-order polarizability tensor in molecules with low-lying perpendicular electronic bands, R. Wortmann, P. Krämer, C. Glania, S. Lebus and N. Detzer 173 (1993) 99
Second-order polarizability of donor–acceptor substituted oligothiophenes: substituent variation and conjugation length dependence, F. Würthner, F. Effenberger, R. Wortmann and P. Krämer 173 (1993) 305

Spin splittings
Spin coupling model for tetrameric iron clusters in ferredoxins. III. Double exchange in distorted cluster, M. Belinskii 173 (1993) 27
Theoretical study of the energies and lifetimes of the low-lying states of bismuth fluoride, A.B. Alekseyev, H.-P. Liebermann, I. Boustani, G. Hirsch and R.J. Buenker 173 (1993) 333

Optical activity
A quantum electrodynamical theory of induced circularly polarised luminescence, A. Salam 173 (1993) 123
Theoretical study of the electronic spectra of a polycyclic aromatic hydrocarbon, naphthalene, and its derivatives, P. Du, F. Salama and G.H. Loew 173 (1993) 421

Molecular interactions
A quantum electrodynamical theory of induced circularly polarised luminescence, A. Salam 173 (1993) 123
Dynamical and statistical behaviour of $O(^3P)+OH(^2\Pi)\rightarrow H(^2S)+O_2(^3\Sigma_g^-)$, G. Nyman 173 (1993) 159
Infrared laser kinetic spectroscopy of the formation of $\dot{C}N$ ($v=0$–8) in a discharge, M. Fehér, A. Rohrbacher and J.P. Maier 173 (1993) 187

Application of the configuration interaction method for quantum-chemical calculations of solvation effects, M.V. Basilevsky, G.E. Chudinov, D.V. Napolov and L.M. Timofeeva 173 (1993) 345

Spectral bandshapes and intensities

The valence shell photoabsorption of the linear alkanes, C_nH_{2n+2} ($n=1-8$): absolute oscillator strengths (7–220 eV), J.W. Au, G. Cooper, G.R. Burton, T.N. Olney and C.E. Brion 173 (1993) 209

The molecular and dissociative photoionization of ethane, propane, and *n*-butane: absolute oscillator strengths (10–80 eV) and breakdown pathways, J.W. Au, G. Cooper and C.E. Brion 173 (1993) 241

Magnetic circular dichroism of matrix-isolated Mo atoms: spin–orbit coupling and Jahn–Teller activity, D. Roser and M. Vala 173 (1993) 267

Theoretical study of the energies and lifetimes of the low-lying states of bismuth fluoride, A.B. Alekseyev, H.-P. Liebermann, I. Boustani, G. Hirsch and R.J. Buenker 173 (1993) 333

Theoretical study of the electronic spectra of a polycyclic aromatic hydrocarbon, naphthalene, and its derivatives, P. Du, F. Salama and G.H. Loew 173 (1993) 421

Collisional narrowing and shifting in the Raman Q-branch of oxygen at high density, G. Millot, C. Roche, R. Saint-Loup, R. Chaux, H. Berger and J. Santos 173 (1993) 505

Energy transfer processes

Non-equilibrium kinetics of bimolecular reactions. IV. Experimental prediction of the breakdown of the kinetic mass–action law, H. Teitelbaum 173 (1993) 91

Semiclassical model for energy transfer in polyatomic molecules. XIV. He– and Ar–glyoxal collisions, G.D. Billing 173 (1993) 167

Collisional narrowing and shifting in the Raman Q-branch of oxygen at high density, G. Millot, C. Roche, R. Saint-Loup, R. Chaux, H. Berger and J. Santos 173 (1993) 505

Molecular photophysical processes

Optical, zero-field ODMR and EPR studies of the triplet states from singlet fission in biphenyl-TCNQ and biphenyl-tetrafluoro-TCNQ charge-transfer crystals, G. Agostini, C. Corvaja, G. Giacometti and L. Pasimeni 173 (1993) 177

Nonradiative deactivation and triplet states in donor–aryl–acceptor compounds (dialkylaminobenzonitriles), G. Köhler, G. Grabner and K. Rotkiewicz 173 (1993) 275

Intramolecular dynamics

Semiclassical phase space evolution of three coupled anharmonic oscillators with SU(3) symmetry partially broken, G. Wu 173 (1993) 1

–radiationless transitions

The excited states of stilbene and stilbenoid donor–acceptor dye systems. A theoretical study, W. Rettig, B. Strehmel and W. Majenz 173 (1993) 525

–vibrational energy redistribution (including vibrational dissociation)

Vibrational frequencies and dephasing times in excited electronic states by femtosecond time-resolved four-wave mixing, T. Joo and A.C. Albrecht 173 (1993) 17

Luminescence spectra, yields and lifetimes

A quantum electrodynamical theory of induced circularly polarised luminescence, A. Salam 173 (1993) 123

Non-linear responses (including optical)
Deviations from Kleinman symmetry of the second-order polarizability tensor in molecules with low-lying perpendicular electronic bands, R. Wortmann, P. Krämer, C. Glania, S. Lebus and N. Detzer 173 (1993) 99
Second-order polarizability of donor–acceptor substituted oligothiophenes: substituent variation and conjugation length dependence, F. Würthner, F. Effenberger, R. Wortmann and P. Krämer 173 (1993) 305
Photoadmittance of two-step charge transfer processes on semiconductor electrodes. Example of hydrogen evolution reaction, F. Bergmann, M. Handschuh and W. Lorenz 173 (1993) 407

Multiphoton phenomena
Time dependence of the refractive index of SF_6 and SF_6–Ar mixtures during a TEA CO_2 laser pulse. A focusing effect preceding thermal lensing, M. Lenzi, E. Molinari, G. Piciacchia and M.L. Terranova 173 (1993) 291

Reactions (including dissociation)
Application of the configuration interaction method for quantum-chemical calculations of solvation effects, M.V. Basilevsky, G.E. Chudinov, D.V. Napolov and L.M. Timofeeva 173 (1993) 345
Rate constants for ozone formation and for isotopic exchange reactions, A. Gross and G.D. Billing 173 (1993) 393

–gas phase
Non-equilibrium kinetics of bimolecular reactions. IV. Experimental prediction of the breakdown of the kinetic mass–action law, H. Teitelbaum 173 (1993) 91
Dynamical and statistical behaviour of $O(^3P)+OH(^2\Pi)\rightarrow H(^2S)+O_2(^3\Sigma_g^-)$, G. Nyman 173 (1993) 159
Infrared laser kinetic spectroscopy of the formation of CN (v=0–8) in a discharge, M. Fehér, A. Rohrbacher and J.P. Maier 173 (1993) 187
Quasiclassical trajectory study of $H+O_2\rightarrow OH+O$ at temperatures from 500 to 2000 K, V. Klimo, M. Bittererová, S. Biskupič and J. Urban 173 (1993) 367
Reactive scattering by wave packet propagation. A semiclassical calculation of cross sections, N. Marković and G.D. Billing 173 (1993) 385
Recombination of perfluoroalkyl radicals with $I(5p^5\ ^2P_{1/2})$, $I(5p^5\ ^2P_{3/2})$ atoms accompanied by radiation, S.M. Egorov, A.M. Pravilov and V.A. Skorokhodov 173 (1993) 467

–condensed phase
Photoadmittance of two-step charge transfer processes on semiconductor electrodes. Example of hydrogen evolution reaction, F. Bergmann, M. Handschuh and W. Lorenz 173 (1993) 407

–photochemical
Ab initio CI study of hydrogen abstraction from hydrogen and methyl sulphide by ketone triplet excited state, H. Cardy, E. Poquet, M. Chaillet and J. Ollivier 173 (1993) 79
The excited states of stilbene and stilbenoid donor–acceptor dye systems. A theoretical study, W. Rettig, B. Strehmel and W. Majenz 173 (1993) 525

Electron transfer
Nonradiative deactivation and triplet states in donor–aryl–acceptor compounds (dialkylaminobenzonitriles), G. Köhler, G. Grabner and K. Rotkiewicz 173 (1993) 275

The excited states of stilbene and stilbenoid donor–acceptor dye systems. A theoretical study, W. Rettig, B. Strehmel and W. Majenz 173 (1993) 525

Ionization (including Rydberg states)

The molecular and dissociative photoionization of ethane, propane, and *n*-butane: absolute oscillator strengths (10–80 eV) and breakdown pathways, J.W. Au, G. Cooper and C.E. Brion 173 (1993) 241

A study of the absolute photoabsorption, photoionization and photodissociation cross sections and the photoionization quantum efficiency of oxygen from the ionization threshold to 490 Å, D.M.P. Holland, D.A. Shaw, S.M. McSweeney, M.A. MacDonald, A. Hopkirk and M.A. Hayes 173 (1993) 315

A theoretical study of the oxygen K absorption edge in cluster models of sodalite, S.A. Zygmunt, L.A. Curtiss and L.E. Iton 173 (1993) 357

Vibrationally stimulated ionization of carbon monoxide in optical pumping experiments, I. Adamovich, S. Saupe, M.J. Grassi, O. Schulz, S. Macheret and J.W. Rich 173 (1993) 491

Molecular motion (including diffusive)

Molecular theory of underdamped dielectric relaxation: understanding collective effects in dipolar liquids, B. Bagchi and A. Chandra 173 (1993) 133

Time dependence of the refractive index of SF_6 and SF_6–Ar mixtures during a TEA CO_2 laser pulse. A focusing effect preceding thermal lensing, M. Lenzi, E. Molinari, G. Piciacchia and M.L. Terranova 173 (1993) 291

Collective motion and excitations

The molecular theory of structural relaxation and transport phenomena in liquids. I. The generalized kinetic equation and visco-elastic properties of classical liquids, S. Odinaev and A.A. Adkhamov 173 (1993) 45

The molecular theory of structural relaxation and transport phenomena in liquids. II. Thermotransport dynamic process in classical liquids, S. Odinaev, A.A. Adkhamov and A. Abdurasulov 173 (1993) 57

Molecular theory of underdamped dielectric relaxation: understanding collective effects in dipolar liquids, B. Bagchi and A. Chandra 173 (1993) 133

Thermodynamic and transport properties

The molecular theory of structural relaxation and transport phenomena in liquids. I. The generalized kinetic equation and visco-elastic properties of classical liquids, S. Odinaev and A.A. Adkhamov 173 (1993) 45

The molecular theory of structural relaxation and transport phenomena in liquids. II. Thermotransport dynamic process in classical liquids, S. Odinaev, A.A. Adkhamov and A. Abdurasulov 173 (1993) 57

Common features in slow electron scattering by methane and the heavier noble gases, G.R. Freeman and N.H. March 173 (1993) 451

Critical phenomena

Effect of pressure on the coexistence curve of methanol + *n*-heptane in the near critical region, A.G. Aizpiri, F. Monroy, A.G. Casielles, R.G. Rubio and F. Ortega 173 (1993) 457